Author Index to Volume 168

Ackermann, L. and N. Rösch, Cyanogen on Ni(110): a model cluster study using the LCGTO-LDF method 168 (1992) 259
Arutiunov, A.B., see K.Yu. Haritonov 168 (1992) 69

Bancroft, G.M., see Z.F. Liu 168 (1992) 133
Baumgärtel, H., see H.W. Jochims 168 (1992) 159
Benetis, N.P., see R. Erickson 168 (1992) 91
Bianco, R., S. Miertuš, M. Persico and J. Tomasi, Molecular reactivity in solution. Modelling of the effects of the solvent and of its stochastic fluctuation on an S_N2 reaction 168 (1992) 281
Blake, A.J., see M.H. Palmer 168 (1992) 41
Boglu, D., see H. Heydtmann 168 (1992) 293
Borsdorf, Ch., see E. Zoidis 168 (1992) 99
Bouju, X., see C. Girard 168 (1992) 203
Brion, C.E., see W.F. Chan 168 (1992) 375

Cavell, R.G., see Z.F. Liu 168 (1992) 133
Chan, W.F., G. Cooper and C.E. Brion, Absolute optical oscillator strengths (11–20 eV) and transition moments for the photoabsorption of molecular hydrogen in the Lyman and Werner bands 168 (1992) 375
Christov, S.G., Theory of proton transfer reactions in solution 168 (1992) 327
Cichy, M.A., see G.B.M. Vaughan 168 (1992) 185
Cooper, G., see W.F. Chan 168 (1992) 375
Cox, D.E., see G.B.M. Vaughan 168 (1992) 185
Cutler, J.N., see Z.F. Liu 168 (1992) 133

Dai Hung, N., see P. Plaza 168 (1992) 365
Decleva, P., see A. Lisini 168 (1992) 1
Decleva, P., G. Fronzoni and A. Lisini, 2p excitation spectra of transition metal compounds as a probe of local electronic structure: a theoretical determination 168 (1992) 51
Dorfmüller, T., see E. Zoidis 168 (1992) 349
Dorfmüller, Th., see E. Zoidis 168 (1992) 99

Erickson, R., U. Nordh, N.P. Benetis and A. Lund, ESR line shapes and methyl rotation in the acetic acid anion radical 168 (1992) 91

Ferraro, G., see A. Laganà 168 (1992) 341
Fischer, G. and A.E.W. Knight, Anomalous intensities and vibrational structure in the absorption spectra of benzene and benzene-d_6 168 (1992) 211
Fronzoni, G., see P. Decleva 168 (1992) 51

Garcia, E., see A. Laganà 168 (1992) 341

Gershenzon, Yu.M., see D.V. Shalashilin 168 (1992) 315
Gervasi, O., see A. Laganà 168 (1992) 341
Getty, J.D. and P.B. Kelly, Vibrational analysis of the X^2A_2 state of the allyl radical 168 (1992) 357
Girard, C., X. Bouju and C. Joachim, Van der Waals interactions between an adsorbate and the tip of an STM 168 (1992) 203

Haritonov, K.Yu., A.B. Arutiunov and A.G. Vitukhnovsky, Computer modelling of radiationless energy transport in disordered donor–acceptor systems 168 (1992) 69
Heiney, P.A., see G.B.M. Vaughan 168 (1992) 185
Heydtmann, H., D. Boglu and J.J. Sloan, Development of a methyl radical source for use in reaction dynamics studies 168 (1992) 293
Heyes, D.M. and C.T. Llaguno, Computer simulation and equation of state study of the Boyle and inversion temperature of simple fluids 168 (1992) 61
Hüttner, W., see R. Tammer 168 (1992) 151

Ihara, S., see T. Ogawa 168 (1992) 145

Joachim, C., see C. Girard 168 (1992) 203
Jochims, H.W., H. Rasekh, E. Rühl, H. Baumgärtel and S. Leach, The photofragmentation of naphthalene and azulene monocations in the energy range 7–22 eV 168 (1992) 159
Jones, D.R., see G.B.M. Vaughan 168 (1992) 185

Kavan, L., see M. Springborg 168 (1992) 249
Kelly, P.B., see J.D. Getty 168 (1992) 357
Khurshid, M.M.P., see M.H. Palmer 168 (1992) 41
Knight, A.E.W., see G. Fischer 168 (1992) 211
Krapivsky, P.L., Trapping reaction with immobile reactants and sinks 168 (1992) 15
Kuntz, P.J., see R. Polák 168 (1992) 301
Kuznetsov, A.M., Dynamics of electron transfer between the reactants immersed into a cavity in polar solvent 168 (1992) 225

Laganà, A., G. Ferraro, E. Garcia, O. Gervasi and A. Ottavi, Potential energy representations in the bond order space 168 (1992) 341
Leach, S., see H.W. Jochims 168 (1992) 159
Liang, Y.Q., see Y.F. Wang 168 (1992) 23
Lisini, A. and P. Decleva, Calculation of dynamical correlation effects by quasidegenerate perturbation theory. An application to photoionization spectra 168 (1992) 1
Lisini, A., see P. Decleva 168 (1992) 51
Liu, Z.F., J.N. Cutler, G.M. Bancroft, K.H. Tan, R.G. Cavell and J.S. Tse, Crystal field splittings of continuum d orbitals. A comparative study on the $L_{2,3}$ edge X-ray absorption spectra of Si, P and S compounds 168 (1992) 133
Llaguno, C.T., see D.M. Heyes 168 (1992) 61
Löblein, K., see R. Tammer 168 (1992) 151
Lund, A., see R. Erickson 168 (1992) 91

Maître, P. and G. Ohanessian, Analysis of correlation consistent wavefunctions: H_3X–H bond energies (X=C, Si and Ge) 168 (1992) 237

Martin, M.M., see P. Plaza 168 (1992) 365
McConnell, T.D.L. and S.H. Walmsley, Potential functions and the lattice dynamics of carbonyl sulphide. II. Repulsive terms and compressibility 168 (1992) 195
McGhie, A.R., see G.B.M. Vaughan 168 (1992) 185
Meyer, Y.H., see P. Plaza 168 (1992) 365
Miertuš, S., see R. Bianco 168 (1992) 281

Nakashima, K., see T. Ogawa 168 (1992) 145
Neyman, K.M. and N. Rösch, CO bonding and vibrational modes on a perfect MgO(001) surface: LCGTO-LDF model cluster investigation 168 (1992) 267
Nickel, B. and M.T. Wick, Vibrational structure of the $S_0 \rightarrow S_2$ absorption band of coronene in polymethylmethacrylate, studied by transient spectral hole-burning 168 (1992) 111
Nordh, U., see R. Erickson 168 (1992) 91

Ogawa, T., S. Ihara, N. Yonekura, T. Yasuda and K. Nakashima, Formation cross sections, emission cross sections and Fano plots of translational-energy-separated excited hydrogen atoms ($n=3,4$) produced in e–H_2O collisions 168 (1992) 145
Ohanessian, G., see P. Maître 168 (1992) 237
Ottavi, A., see A. Laganà 168 (1992) 341

Palmer, M.H., A.J. Blake, M.M.P. Khurshid and J.A.S. Smith, Structure and bonding in 2-methyl-cinnolin-3-one. A study by X-ray crystallography, ^{14}N nuclear quadrupole resonance and ab initio calculations 168 (1992) 41
Persico, M., see R. Bianco 168 (1992) 281
Peting, K.H., see R. Tammer 168 (1992) 151
Plaza, P., N. Dai Hung, M.M. Martin, Y.H. Meyer, M. Vogel and W. Rettig, Ultrafast internal charge transfer in a donor-modified rhodamine 168 (1992) 365
Polák, R. and P.J. Kuntz, An analysis of semi-empirical valence bond models for MX_2 potential energy surfaces: a case study of LiF_2 168 (1992) 301

Rasekh, H., see H.W. Jochims 168 (1992) 159
Rettig, W., see P. Plaza 168 (1992) 365
Rösch, N., see L. Ackermann 168 (1992) 259
Rösch, N., see K.M. Neyman 168 (1992) 267
Rühl, E., see H.W. Jochims 168 (1992) 159

Samios, J., see E. Zoidis 168 (1992) 349
Schreiber, H. and O. Steinhauser, Molecular dynamics studies of solvated polypeptides: why the cut-off scheme does not work 168 (1992) 75
Shalashilin, D.V., S.Ya. Umanskii and Yu.M. Gershenzon, Dynamics of vibrational energy exchange in collisions of OH and OD radicals with N_2. Application to the kinetics of OH-vibrational deactivation in the upper atmosphere 168 (1992) 315
Sloan, J.J., see H. Heydtmann 168 (1992) 293
Smith, J.A.S., see M.H. Palmer 168 (1992) 41
Smith III, A.B., see G.B.M. Vaughan 168 (1992) 185
Sokolov, N.D. and M.V. Vener, Proton tunnelling assisted by the intermolecular vibration excitation in solid state 168 (1992) 29

Springborg, M. and L. Kavan, On the stability of polyyne 168 (1992) 249
Steinhauser, O., see H. Schreiber 168 (1992) 75
Strehle, F., see E. Zoidis 168 (1992) 99
Strongin, R.M., see G.B.M. Vaughan 168 (1992) 185

Tammer, R., K. Löblein, K.H. Peting and W. Hüttner, Field calibrated measurements of the dc Kerr constants of helium and molecular hydrogen 168 (1992) 151
Tan, K.H., see Z.F. Liu 168 (1992) 133
Tang, A.Q., see Y.F. Wang 168 (1992) 23
Tomasi, J., see R. Bianco 168 (1992) 281
Tse, J.S., see Z.F. Liu 168 (1992) 133

Umanskii, S.Ya., see D.V. Shalashilin 168 (1992) 315

Vaughan, G.B.M., P.A. Heiney, D.E. Cox, A.R. McGhie, D.R. Jones, R.M. Strongin, M.A. Cichy and A.B. Smith III, The orientational phase transition in solid buckminsterfullerene epoxide ($C_{60}O$) 168 (1992) 185
Vener, M.V., see N.D. Sokolov 168 (1992) 29
Vitukhnovsky, A.G., see K.Yu. Haritonov 168 (1992) 69
Vogel, M., see P. Plaza 168 (1992) 365

Walmsley, S.H., see T.D.L. McConnell 168 (1992) 195
Wang, Y.F., Y.Q. Liang and A.Q. Tang, An analytic method for the accurate calculation of energy eigenvalues of a double-well anharmonic oscillator 168 (1992) 23
Wick, M.T., see B. Nickel 168 (1992) 111

Yasuda, T., see T. Ogawa 168 (1992) 145
Yonekura, N., see T. Ogawa 168 (1992) 145

Zoidis, E., Ch. Borsdorf, F. Strehle and Th. Dorfmüller, A comparative study of the phenyl ring motion in styrene oligomers and polystyrene using FIR absorption and depolarized Rayleigh wing spectra 168 (1992) 99
Zoidis, E., J. Samios and T. Dorfmüller, Far-infrared interaction-induced absorption spectra of CS_2–C_6H_6 liquid mixtures 168 (1992) 349

Subject Index to Volume 168

Methods

Theoretical

Classical mechanics
Potential functions and the lattice dynamics of carbonyl sulphide. II. Repulsive terms and compressibility, T.D.L. McConnell and S.H. Walmsley 168 (1992) 195

Many body and quasiparticle approaches
Calculation of dynamical correlation effects by quasidegenerate perturbation theory. An application to photoionization spectra, A. Lisini and P. Decleva 168 (1992) 1
Trapping reaction with immobile reactants and sinks, P.L. Krapivsky 168 (1992) 15

Coupling schemes and perturbative treatments
An analytic method for the accurate calculation of energy eigenvalues of a double-well anharmonic oscillator, Y.F. Wang, Y.Q. Liang and A.Q. Tang 168 (1992) 23
Van der Waals interactions between an adsorbate and the tip of an STM, C. Girard, X. Bouju and C. Joachim 168 (1992) 203
Anomalous intensities and vibrational structure in the absorption spectra of benzene and benzene-d_6, G. Fischer and A.E.W. Knight 168 (1992) 211

Transport quantum mechanics
Proton tunnelling assisted by the intermolecular vibration excitation in solid state, N.D. Sokolov and M.V. Vener 168 (1992) 29
Dynamics of electron transfer between the reactants immersed into a cavity in polar solvent, A.M. Kuznetsov 168 (1992) 225

Ab initio schemes for stationary properties
Calculation of dynamical correlation effects by quasidegenerate perturbation theory. An application to photoionization spectra, A. Lisini and P. Decleva 168 (1992) 1
Structure and bonding in 2-methyl-cinnolin-3-one. A study by X-ray crystallography, ^{14}N nuclear quadrupole resonance and ab initio calculations, M.H. Palmer, A.J. Blake, M.M.P. Khurshid and J.A.S. Smith 168 (1992) 41
2p excitation spectra of transition metal compounds as a probe of local electronic structure: a theoretical determination, P. Decleva, G. Fronzoni and A. Lisini 168 (1992) 51
Analysis of correlation consistent wavefunctions: H_3X–H bond energies (X=C, Si and Ge), P. Maître and G. Ohanessian 168 (1992) 237
On the stability of polyyne, M. Springborg and L. Kavan 168 (1992) 249
Cyanogen on Ni(110): a model cluster study using the LCGTO-LDF method, L. Ackermann and N. Rösch 168 (1992) 259

CO bonding and vibrational modes on a perfect MgO(001) surface: LCGTO-LDF model cluster investigation, K.M. Neyman and N. Rösch 168 (1992) 267

Computational and simulation methods

An analytic method for the accurate calculation of energy eigenvalues of a double-well anharmonic oscillator, Y.F. Wang, Y.Q. Liang and A.Q. Tang 168 (1992) 23

Computer simulation and equation of state study of the Boyle and inversion temperature of simple fluids, D.M. Heyes and C.T. Llaguno 168 (1992) 61

Computer modelling of radiationless energy transport in disordered donor–acceptor systems, K.Yu. Haritonov, A.B. Arutiunov and A.G. Vitukhnovsky 168 (1992) 69

Molecular dynamics studies of solvated polypeptides: why the cut-off scheme does not work, H. Schreiber and O. Steinhauser 168 (1992) 75

Van der Waals interactions between an adsorbate and the tip of an STM, C. Girard, X. Bouju and C. Joachim 168 (1992) 203

Analysis of correlation consistent wavefunctions: H_3X–H bond energies (X=C, Si and Ge), P. Maître and G. Ohanessian 168 (1992) 237

Molecular reactivity in solution. Modelling of the effects of the solvent and of its stochastic fluctuation on an S_N2 reaction, R. Bianco, S. Miertuš, M. Persico and J. Tomasi 168 (1992) 281

Development of a methyl radical source for use in reaction dynamics studies, H. Heydtmann, D. Boglu and J.J. Sloan 168 (1992) 293

An analysis of semi-empirical valence bond models for MX_2 potential energy surfaces: a case study of LiF_2, R. Polák and P.J. Kuntz 168 (1992) 301

Molecular dynamics and scattering theory

Molecular reactivity in solution. Modelling of the effects of the solvent and of its stochastic fluctuation on an S_N2 reaction, R. Bianco, S. Miertuš, M. Persico and J. Tomasi 168 (1992) 281

Dynamics of vibrational energy exchange in collisions of OH and OD radicals with N_2. Application to the kinetics of OH-vibrational deactivation in the upper atmosphere, D.V. Shalashilin, S.Ya. Umanskii and Yu.M. Gershenzon 168 (1992) 315

Theory of proton transfer reactions in solution, S.G. Christov 168 (1992) 327

Potential energy representations in the bond order space, A. Laganà, G. Ferraro, E. Garcia, O. Gervasi and A. Ottavi 168 (1992) 341

Experimental

Magnetic resonances

Structure and bonding in 2-methyl-cinnolin-3-one. A study by X-ray crystallography, ^{14}N nuclear quadrupole resonance and ab initio calculations, M.H. Palmer, A.J. Blake, M.M.P. Khurshid and J.A.S. Smith 168 (1992) 41

ESR line shapes and methyl rotation in the acetic acid anion radical, R. Erickson, U. Nordh, N.P. Benetis and A. Lund 168 (1992) 91

Infrared spectroscopy

A comparative study of the phenyl ring motion in styrene oligomers and polystyrene using FIR absorption and depolarized Rayleigh wing spectra, E. Zoidis, Ch. Borsdorf, F. Strehle and Th. Dorfmüller 168 (1992) 99

Far-infrared interaction-induced absorption spectra of CS_2–C_6H_6 liquid mixtures, E. Zoidis, J. Samios and T. Dorfmüller 168 (1992) 349

Raman spectroscopy
A comparative study of the phenyl ring motion in styrene oligomers and polystyrene using FIR absorption and depolarized Rayleigh wing spectra, E. Zoidis, Ch. Borsdorf, F. Strehle and Th. Dorfmüller 168 (1992) 99
Vibrational analysis of the X^2A_2 state of the allyl radical, J.D. Getty and P.B. Kelly 168 (1992) 357

Visible and UV spectroscopy
Vibrational structure of the $S_0 \rightarrow S_2$ absorption band of coronene in polymethylmethacrylate, studied by transient spectral hole-burning, B. Nickel and M.T. Wick 168 (1992) 111
Anomalous intensities and vibrational structure in the absorption spectra of benzene and benzene-d_6, G. Fischer and A.E.W. Knight 168 (1992) 211
On the stability of polyyne, M. Springborg and L. Kavan 168 (1992) 249
Ultrafast internal charge transfer in a donor-modified rhodamine, P. Plaza, N. Dai Hung, M.M. Martin, Y.H. Meyer, M. Vogel and W. Rettig 168 (1992) 365
Absolute optical oscillator strengths (11–20 eV) and transition moments for the photoabsorption of molecular hydrogen in the Lyman and Werner bands, W.F. Chan, G. Cooper and C.E. Brion 168 (1992) 375

Fluorescence spectroscopy
Ultrafast internal charge transfer in a donor-modified rhodamine, P. Plaza, N. Dai Hung, M.M. Martin, Y.H. Meyer, M. Vogel and W. Rettig 168 (1992) 365

X-ray spectroscopy
Crystal field splittings of continuum d orbitals. A comparative study on the $L_{2,3}$ edge X-ray absorption spectra of Si, P and S compounds, Z.F. Liu, J.N. Cutler, G.M. Bancroft, K.H. Tan, R.G. Cavell and J.S. Tse 168 (1992) 133

Electron impact spectroscopy
Formation cross sections, emission cross sections and Fano plots of translational-energy-separated excited hydrogen atoms ($n=3,4$) produced in e–H_2O collisions, T. Ogawa, S. Ihara, N. Yonekura, T. Yasuda and K. Nakashima 168 (1992) 145
Absolute optical oscillator strengths (11–20 eV) and transition moments for the photoabsorption of molecular hydrogen in the Lyman and Werner bands, W.F. Chan, G. Cooper and C.E. Brion 168 (1992) 375

Laser methods
Vibrational analysis of the X^2A_2 state of the allyl radical, J.D. Getty and P.B. Kelly 168 (1992) 357

Picosecond spectroscopy
Ultrafast internal charge transfer in a donor-modified rhodamine, P. Plaza, N. Dai Hung, M.M. Martin, Y.H. Meyer, M. Vogel and W. Rettig 168 (1992) 365

Non-linear optical spectroscopy
Field calibrated measurements of the dc Kerr constants of helium and molecular hydrogen, R. Tammer, K. Löblein, K.H. Peting and W. Hüttner 168 (1992) 151

Synchrotron spectroscopies
Crystal field splittings of continuum d orbitals. A comparative study on the $L_{2,3}$ edge X-ray absorption spectra of Si, P and S compounds, Z.F. Liu, J.N. Cutler, G.M. Bancroft, K.H. Tan, R.G. Cavell and J.S. Tse 168 (1992) 133
The photofragmentation of naphthalene and azulene monocations in the energy range 7–22 eV, H.W. Jochims, H. Rasekh, E. Rühl, H. Baumgärtel and S. Leach 168 (1992) 159

Atomic and molecular beam techniques
Formation cross sections, emission cross sections and Fano plots of translational-energy-separated excited hydrogen atoms ($n=3,4$) produced in e–H_2O collisions, T. Ogawa, S. Ihara, N. Yonekura, T. Yasuda and K. Nakashima 168 (1992) 145

Time-resolved experiments
Ultrafast internal charge transfer in a donor-modified rhodamine, P. Plaza, N. Dai Hung, M.M. Martin, Y.H. Meyer, M. Vogel and W. Rettig 168 (1992) 365

Mass spectrometry
The photofragmentation of naphthalene and azulene monocations in the energy range 7–22 eV, H.W. Jochims, H. Rasekh, E. Rühl, H. Baumgärtel and S. Leach 168 (1992) 159
Development of a methyl radical source for use in reaction dynamics studies, H. Heydtmann, D. Boglu and J.J. Sloan 168 (1992) 293

Objects

Bulk systems

Gases
Computer simulation and equation of state study of the Boyle and inversion temperature of simple fluids, D.M. Heyes and C.T. Llaguno 168 (1992) 61
Field calibrated measurements of the dc Kerr constants of helium and molecular hydrogen, R. Tammer, K. Löblein, K.H. Peting and W. Hüttner 168 (1992) 151
Dynamics of vibrational energy exchange in collisions of OH and OD radicals with N_2. Application to the kinetics of OH-vibrational deactivation in the upper atmosphere, D.V. Shalashilin, S.Ya. Umanskii and Yu.M. Gershenzon 168 (1992) 315

Liquids neat
Computer simulation and equation of state study of the Boyle and inversion temperature of simple fluids, D.M. Heyes and C.T. Llaguno 168 (1992) 61

Liquids mixtures and solutions
Molecular reactivity in solution. Modelling of the effects of the solvent and of its stochastic fluctuation on an S_N2 reaction, R. Bianco, S. Miertuš, M. Persico and J. Tomasi 168 (1992) 281
Theory of proton transfer reactions in solution, S.G. Christov 168 (1992) 327
Far-infrared interaction-induced absorption spectra of CS_2–C_6H_6 liquid mixtures, E. Zoidis, J. Samios and T. Dorfmüller 168 (1992) 349

Chrystals
Structure and bonding in 2-methyl-cinnolin-3-one. A study by X-ray crystallography, ^{14}N nuclear quadrupole resonance and ab initio calculations, M.H. Palmer, A.J. Blake, M.M.P. Khurshid and J.A.S. Smith 168 (1992) 41
Potential functions and the lattice dynamics of carbonyl sulphide. II. Repulsive terms and compressibility, T.D.L. McConnell and S.H. Walmsley 168 (1992) 195

–neat
The orientational phase transition in solid buckminsterfullerene epoxide ($C_{60}O$), G.B.M. Vaughan, P.A. Heiney, D.E. Cox, A.R. McGhie, D.R. Jones, R.M. Strongin, M.A. Cichy and A.B. Smith III 168 (1992) 185

Polymers
Vibrational structure of the $S_0 \rightarrow S_2$ absorption band of coronene in polymethylmethacrylate, studied by transient spectral hole-burning, B. Nickel and M.T. Wick 168 (1992) 111
On the stability of polyyne, M. Springborg and L. Kavan 168 (1992) 249

Surfaces
Van der Waals interactions between an adsorbate and the tip of an STM, C. Girard, X. Bouju and C. Joachim 168 (1992) 203

Low-dimensional materials
Computer modelling of radiationless energy transport in disordered donor–acceptor systems, K.Yu. Haritonov, A.B. Arutiunov and A.G. Vitukhnovsky 168 (1992) 69

Biological systems
Molecular dynamics studies of solvated polypeptides: why the cut-off scheme does not work, H. Schreiber and O. Steinhauser 168 (1992) 75

Microscopic systems

Atoms
Calculation of dynamical correlation effects by quasidegenerate perturbation theory. An application to photoionization spectra, A. Lisini and P. Decleva 168 (1992) 1
Field calibrated measurements of the dc Kerr constants of helium and molecular hydrogen, R. Tammer, K. Löblein, K.H. Peting and W. Hüttner 168 (1992) 151

Molecules (neutral and ionic)
Calculation of dynamical correlation effects by quasidegenerate perturbation theory. An application to photoionization spectra, A. Lisini and P. Decleva 168 (1992) 1
Structure and bonding in 2-methyl-cinnolin-3-one. A study by X-ray crystallography, ^{14}N nuclear quadrupole resonance and ab initio calculations, M.H. Palmer, A.J. Blake, M.M.P. Khurshid and J.A.S. Smith 168 (1992) 41

–diatomic
Field calibrated measurements of the dc Kerr constants of helium and molecular hydrogen, R. Tammer, K. Löblein, K.H. Peting and W. Hüttner 168 (1992) 151

Dynamics of vibrational energy exchange in collisions of OH and OD radicals with N_2. Application to the kinetics of OH-vibrational deactivation in the upper atmosphere, D.V. Shalashilin, S.Ya. Umanskii and Yu.M. Gershenzon 168 (1992) 315
Absolute optical oscillator strengths (11–20 eV) and transition moments for the photoabsorption of molecular hydrogen in the Lyman and Werner bands, W.F. Chan, G. Cooper and C.E. Brion 168 (1992) 375

–small polyatomics
An analytic method for the accurate calculation of energy eigenvalues of a double-well anharmonic oscillator, Y.F. Wang, Y.Q. Liang and A.Q. Tang 168 (1992) 23
ESR line shapes and methyl rotation in the acetic acid anion radical, R. Erickson, U. Nordh, N.P. Benetis and A. Lund 168 (1992) 91
A comparative study of the phenyl ring motion in styrene oligomers and polystyrene using FIR absorption and depolarized Rayleigh wing spectra, E. Zoidis, Ch. Borsdorf, F. Strehle and Th. Dorfmüller 168 (1992) 99
Formation cross sections, emission cross sections and Fano plots of translational-energy-separated excited hydrogen atoms ($n=3,4$) produced in e–H_2O collisions, T. Ogawa, S. Ihara, N. Yonekura, T. Yasuda and K. Nakashima 168 (1992) 145
Analysis of correlation consistent wavefunctions: H_3X–H bond energies (X=C, Si and Ge), P. Maître and G. Ohanessian 168 (1992) 237
An analysis of semi-empirical valence bond models for MX_2 potential energy surfaces: a case study of LiF_2, R. Polák and P.J. Kuntz 168 (1992) 301
Potential energy representations in the bond order space, A. Laganà, G. Ferraro, E. Garcia, O. Gervasi and A. Ottavi 168 (1992) 341
Far-infrared interaction-induced absorption spectra of CS_2–C_6H_6 liquid mixtures, E. Zoidis, J. Samios and T. Dorfmüller 168 (1992) 349

–aromatics
Vibrational structure of the $S_0 \rightarrow S_2$ absorption band of coronene in polymethylmethacrylate, studied by transient spectral hole-burning, B. Nickel and M.T. Wick 168 (1992) 111
The photofragmentation of naphthalene and azulene monocations in the energy range 7–22 eV, H.W. Jochims, H. Rasekh, E. Rühl, H. Baumgärtel and S. Leach 168 (1992) 159
Anomalous intensities and vibrational structure in the absorption spectra of benzene and benzene-d_6, G. Fischer and A.E.W. Knight 168 (1992) 211
Far-infrared interaction-induced absorption spectra of CS_2–C_6H_6 liquid mixtures, E. Zoidis, J. Samios and T. Dorfmüller 168 (1992) 349
Ultrafast internal charge transfer in a donor-modified rhodamine, P. Plaza, N. Dai Hung, M.M. Martin, Y.H. Meyer, M. Vogel and W. Rettig 168 (1992) 365

–other large
2p excitation spectra of transition metal compounds as a probe of local electronic structure: a theoretical determination, P. Decleva, G. Fronzoni and A. Lisini 168 (1992) 51

Molecular aggregates
Potential functions and the lattice dynamics of carbonyl sulphide. II. Repulsive terms and compressibility, T.D.L. McConnell and S.H. Walmsley 168 (1992) 195

–complexes
Proton tunnelling assisted by the intermolecular vibration excitation in solid state, N.D. Sokolov and M.V. Vener 168 (1992) 29

Free radicals (including hydronium and muonium)
ESR line shapes and methyl rotation in the acetic acid anion radical, R. Erickson, U. Nordh, N.P. Benetis and A. Lund 168 (1992) 91
Dynamics of vibrational energy exchange in collisions of OH and OD radicals with N_2. Application to the kinetics of OH-vibrational deactivation in the upper atmosphere, D.V. Shalashilin, S.Ya. Umanskii and Yu.M. Gershenzon 168 (1992) 315
Vibrational analysis of the X^2A_2 state of the allyl radical, J.D. Getty and P.B. Kelly 168 (1992) 357

Phenomena

Molecular structure
Structure and bonding in 2-methyl-cinnolin-3-one. A study by X-ray crystallography, ^{14}N nuclear quadrupole resonance and ab initio calculations, M.H. Palmer, A.J. Blake, M.M.P. Khurshid and J.A.S. Smith 168 (1992) 41
The orientational phase transition in solid buckminsterfullerene epoxide ($C_{60}O$), G.B.M. Vaughan, P.A. Heiney, D.E. Cox, A.R. McGhie, D.R. Jones, R.M. Strongin, M.A. Cichy and A.B. Smith III 168 (1992) 185
On the stability of polyyne, M. Springborg and L. Kavan 168 (1992) 249

Vibrations and rotations of molecules
An analytic method for the accurate calculation of energy eigenvalues of a double-well anharmonic oscillator, Y.F. Wang, Y.Q. Liang and A.Q. Tang 168 (1992) 23
A comparative study of the phenyl ring motion in styrene oligomers and polystyrene using FIR absorption and depolarized Rayleigh wing spectra, E. Zoidis, Ch. Borsdorf, F. Strehle and Th. Dorfmüller 168 (1992) 99
Vibrational analysis of the X^2A_2 state of the allyl radical, J.D. Getty and P.B. Kelly 168 (1992) 357

Electronic structure and states
Calculation of dynamical correlation effects by quasidegenerate perturbation theory. An application to photoionization spectra, A. Lisini and P. Decleva 168 (1992) 1
2p excitation spectra of transition metal compounds as a probe of local electronic structure: a theoretical determination, P. Decleva, G. Fronzoni and A. Lisini 168 (1992) 51
Crystal field splittings of continuum d orbitals. A comparative study on the $L_{2,3}$ edge X-ray absorption spectra of Si, P and S compounds, Z.F. Liu, J.N. Cutler, G.M. Bancroft, K.H. Tan, R.G. Cavell and J.S. Tse 168 (1992) 133
Analysis of correlation consistent wavefunctions: H_3X–H bond energies (X = C, Si and Ge), P. Maître and G. Ohanessian 168 (1992) 237
Cyanogen on Ni(110): a model cluster study using the LCGTO-LDF method, L. Ackermann and N. Rösch 168 (1992) 259
CO bonding and vibrational modes on a perfect MgO(001) surface: LCGTO-LDF model cluster investigation, K.M. Neyman and N. Rösch 168 (1992) 267

An analysis of semi-empirical valence bond models for MX_2 potential energy surfaces: a case study of LiF_2, R. Polák and P.J. Kuntz 168 (1992) 301

Electric and magnetic properties
Field calibrated measurements of the dc Kerr constants of helium and molecular hydrogen, R. Tammer, K. Löblein, K.H. Peting and W. Hüttner 168 (1992) 151

Molecular interactions
Proton tunnelling assisted by the intermolecular vibration excitation in solid state, N.D. Sokolov and M.V. Vener 168 (1992) 29
Molecular dynamics studies of solvated polypeptides: why the cut-off scheme does not work, H. Schreiber and O. Steinhauser 168 (1992) 75

Spectral bandshapes and intensities
A comparative study of the phenyl ring motion in styrene oligomers and polystyrene using FIR absorption and depolarized Rayleigh wing spectra, E. Zoidis, Ch. Borsdorf, F. Strehle and Th. Dorfmüller 168 (1992) 99
Vibrational structure of the $S_0 \rightarrow S_2$ absorption band of coronene in polymethylmethacrylate, studied by transient spectral hole-burning, B. Nickel and M.T. Wick 168 (1992) 111
Formation cross sections, emission cross sections and Fano plots of translational-energy-separated excited hydrogen atoms ($n=3,4$) produced in e–H_2O collisions, T. Ogawa, S. Ihara, N. Yonekura, T. Yasuda and K. Nakashima 168 (1992) 145
Anomalous intensities and vibrational structure in the absorption spectra of benzene and benzene-d_6, G. Fischer and A.E.W. Knight 168 (1992) 211
Far-infrared interaction-induced absorption spectra of CS_2–C_6H_6 liquid mixtures, E. Zoidis, J. Samios and T. Dorfmüller 168 (1992) 349
Absolute optical oscillator strengths (11–20 eV) and transition moments for the photoabsorption of molecular hydrogen in the Lyman and Werner bands, W.F. Chan, G. Cooper and C.E. Brion 168 (1992) 375

Energy transfer processes
Computer modelling of radiationless energy transport in disordered donor–acceptor systems, K.Yu. Haritonov, A.B. Arutiunov and A.G. Vitukhnovsky 168 (1992) 69
Dynamics of vibrational energy exchange in collisions of OH and OD radicals with N_2. Application to the kinetics of OH-vibrational deactivation in the upper atmosphere, D.V. Shalashilin, S.Ya. Umanskii and Yu.M. Gershenzon 168 (1992) 315

Molecular photophysical processes
Absolute optical oscillator strengths (11–20 eV) and transition moments for the photoabsorption of molecular hydrogen in the Lyman and Werner bands, W.F. Chan, G. Cooper and C.E. Brion 168 (1992) 375

Intramolecular dynamics
An analytic method for the accurate calculation of energy eigenvalues of a double-well anharmonic oscillator, Y.F. Wang, Y.Q. Liang and A.Q. Tang 168 (1992) 23
ESR line shapes and methyl rotation in the acetic acid anion radical, R. Erickson, U. Nordh, N.P. Benetis and A. Lund 168 (1992) 91

–radiationless transitions
Vibrational structure of the $S_0 \rightarrow S_2$ absorption band of coronene in polymethylmethacrylate, studied by transient spectral hole-burning, B. Nickel and M.T. Wick 168 (1992) 111

Reactions (including dissociation)
Trapping reaction with immobile reactants and sinks, P.L. Krapivsky 168 (1992) 15
Potential energy representations in the bond order space, A. Laganà, G. Ferraro, E. Garcia, O. Gervasi and A. Ottavi 168 (1992) 341

–gas phase
Formation cross sections, emission cross sections and Fano plots of translational-energy-separated excited hydrogen atoms ($n=3,4$) produced in e–H_2O collisions, T. Ogawa, S. Ihara, N. Yonekura, T. Yasuda and K. Nakashima 168 (1992) 145
The photofragmentation of naphthalene and azulene monocations in the energy range 7–22 eV, H.W. Jochims, H. Rasekh, E. Rühl, H. Baumgärtel and S. Leach 168 (1992) 159
Development of a methyl radical source for use in reaction dynamics studies, H. Heydtmann, D. Boglu and J.J. Sloan 168 (1992) 293

–condensed phase
Dynamics of electron transfer between the reactants immersed into a cavity in polar solvent, A.M. Kuznetsov 168 (1992) 225
On the stability of polyyne, M. Springborg and L. Kavan 168 (1992) 249
Molecular reactivity in solution. Modelling of the effects of the solvent and of its stochastic fluctuation on an S_N2 reaction, R. Bianco, S. Miertuš, M. Persico and J. Tomasi 168 (1992) 281

Tunneling
Proton tunnelling assisted by the intermolecular vibration excitation in solid state, N.D. Sokolov and M.V. Vener 168 (1992) 29
Dynamics of electron transfer between the reactants immersed into a cavity in polar solvent, A.M. Kuznetsov 168 (1992) 225

Electron transfer
Dynamics of electron transfer between the reactants immersed into a cavity in polar solvent, A.M. Kuznetsov 168 (1992) 225

Isotopic effects
Proton tunnelling assisted by the intermolecular vibration excitation in solid state, N.D. Sokolov and M.V. Vener 168 (1992) 29

Surface effects and catalysis
Van der Waals interactions between an adsorbate and the tip of an STM, C. Girard, X. Bouju and C. Joachim 168 (1992) 203
Cyanogen on Ni(110): a model cluster study using the LCGTO-LDF method, L. Ackermann and N. Rösch 168 (1992) 259
CO bonding and vibrational modes on a perfect MgO(001) surface: LCGTO-LDF model cluster investigation, K.M. Neyman and N. Rösch 168 (1992) 267

Thermodynamic and transport properties
Computer simulation and equation of state study of the Boyle and inversion temperature of simple fluids, D.M. Heyes and C.T. Llaguno 168 (1992) 61

Structure of solids and liquids
The orientational phase transition in solid buckminsterfullerene epoxide ($C_{60}O$), G.B.M. Vaughan, P.A. Heiney, D.E. Cox, A.R. McGhie, D.R. Jones, R.M. Strongin, M.A. Cichy and A.B. Smith III 168 (1992) 185

Critical phenomena
Computer simulation and equation of state study of the Boyle and inversion temperature of simple fluids, D.M. Heyes and C.T. Llaguno 168 (1992) 61

Phase transitions
The orientational phase transition in solid buckminsterfullerene epoxide ($C_{60}O$), G.B.M. Vaughan, P.A. Heiney, D.E. Cox, A.R. McGhie, D.R. Jones, R.M. Strongin, M.A. Cichy and A.B. Smith III 168 (1992) 185